

	Hits	Search Text	DBs
1	135	((low adj power adj mode) with (capabl\$4 or capabilit\$4))	US-PGPUB; USPAT
2	14	((((low adj power adj mode) with (capabl\$4 or capabilit\$4))) same network	US-PGPUB; USPAT
3	48	((power adj2 mode) with (capabl\$4 or capabilit\$4)) same network	US-PGPUB; USPAT
4	149	(reduc\$4 near3 speed) with ((conserv\$5 or sav\$4) near3 power)	US-PGPUB; USPAT
5	2	((reduc\$4 near3 speed) with ((conserv\$5 or sav\$4) near3 power)) same network	US-PGPUB; USPAT
6	1	((low\$4 near3 speed) with ((conserv\$5 or sav\$4) near3 power)) same network	US-PGPUB; USPAT
7	0	((reduc\$4 near3 speed) with (power adj mode)) same network	US-PGPUB; USPAT
8	3	((((reduc\$4 or low\$4) near3 speed) with (power adj mode)) same network	US-PGPUB; USPAT
9	136	((((reduc\$4 or low\$4) near3 speed) with (power near3 (sav\$4 or conserv\$5 or low or mode))) same network	US-PGPUB; USPAT
10	55	((((reduc\$4 or low\$4) near3 speed) with (power near3 (sav\$4 or conserv\$5 or low or mode))) with network	US-PGPUB; USPAT
11	7	(power adj mode) with (auto adj negotiat\$5)	US-PGPUB; USPAT
12	19	((low adj power adj mode) with (allow\$3)) same network	US-PGPUB; USPAT
13	6	((low adj power adj mode) with (allow\$3)) with message	US-PGPUB; USPAT
14	3	((low adj power adj mode) with (capabl\$4 or capabilit\$4)) with message	US-PGPUB; USPAT
15	11	((low adj power adj mode) with (capabl\$4 or capabilit\$4 or allow\$3)) with indicat\$5	US-PGPUB; USPAT
16	18	((power adj mode) with (capabl\$4 or capabilit\$4 or allow\$3)) with indicat\$5	US-PGPUB; USPAT
17	6	((power adj mode) with (able)) with indicat\$5	US-PGPUB; USPAT

	Hits	Search Text	DBs
18	3	((power adj mode) with (able)) with message	US-PGPUB; USPAT
19	1	((reduc\$4 or low\$4)near3 speed) with (mutual)) same network	US-PGPUB; USPAT
20	202	((reduc\$4 or low\$4)near3 speed) with ((reduc\$4 or low\$4) near3 power)) same network	US-PGPUB; USPAT
21	339	exchang\$3 with ((communication or transmission) near speed)	US-PGPUB; USPAT
22	89	(exchang\$3 with ((communication or transmission) near speed)) same network	US-PGPUB; USPAT
23	58	(exchang\$3 with ((communication or transmission) near speed)) with network	US-PGPUB; USPAT
24	49	(match\$3 with ((communication or transmission) near speed)) with network	US-PGPUB; USPAT
25	6	((low adj power adj mode) with (capabl\$4 or capabilit\$4))	EPO; JPO
26	34	(reduc\$4 near3 speed) with ((conserv\$5 or sav\$4) near3 power)	EPO; JPO
27	0	((reduc\$4 near3 speed) with ((conserv\$5 or sav\$4) near3 power)) and network	EPO; JPO
28	0	((reduc\$4 near3 speed) with ((conserv\$5 or sav\$4) near3 power)) and communicat\$5	EPO; JPO
29	1	((reduc\$4 near3 speed) with ((conserv\$5 or sav\$4) near3 power)) and transmission	EPO; JPO
30	15	(match\$3 with ((communication or transmission) near speed)) with network	EPO; JPO
31	10	(power) with portion\$1 with (physical adj layer)	US-PGPUB; USPAT
32	1	(power) with selectiv\$5 with (physical adj layer)	US-PGPUB; USPAT
33	1	(power\$3) with selectiv\$5 with (physical adj layer)	US-PGPUB; USPAT
34	27	((power\$3) with (physical adj layer)) same (power adj (mode or state))	US-PGPUB; USPAT
35	34	((power\$3) with (physical adj layer)) same (low adj power)	US-PGPUB; USPAT

	Hits	Search Text	DBs
36	0	(power) with portion\$1 with (physical adj layer)	EPO; JPO
37	0	((power\$3) with (physical adj layer)) same (power adj (mode or state))	EPO; JPO
38	3	((power\$3) with (physical adj layer)) same (low adj power)	EPO; JPO
39	1	eligib\$6 with (power adj (mode or state))	US-PGPUB; USPAT
40	0	eligib\$6 with (sleep\$3 adj (mode or state))	US-PGPUB; USPAT
41	672	availabl\$6 with ((power or sleep\$3) adj (mode or state))	US-PGPUB; USPAT
42	67	availabl\$6 with ((power or sleep\$3) adj (mode or state)) with enter\$3	US-PGPUB; USPAT
43	174	message with ((power or sleep\$3) adj (mode or state)) with enter\$3	US-PGPUB; USPAT
44	45	message with ((power) adj (mode or state)) with enter\$3	US-PGPUB; USPAT
45	81	register with ((power) adj (mode or state)) with enter\$3	US-PGPUB; USPAT
46	4	threshold with value with ((power) adj (mode or state)) with enter\$3	US-PGPUB; USPAT
47	78	register with ((power) adj (mode or state)) with indicat\$5	US-PGPUB; USPAT
48	27	(register near2 indicat\$5) with ((power) adj (mode or state))	US-PGPUB; USPAT
49	41	register with ((power) adj (mode or state)) with request\$5	US-PGPUB; USPAT
50	5	message with ((power or sleep\$3) adj (mode or state)) with enter\$3	EPO; JPO
51	0	register with ((power) adj (mode or state)) with enter\$3	EPO; JPO
52	0	register with ((power) adj (mode or state)) with indicat\$5	EPO; JPO
53	0	register with ((power) adj (mode or state)) with request\$5	EPO; JPO
54	9	availabl\$6 with ((power) adj (mode or state))	EPO; JPO
55	0	eligib\$6 with (power adj (mode or state))	EPO; JPO
56	52	((power\$3) with (physical adj layer)) same (low adj power)	US-PGPUB; USPAT

	Hits	Search Text	DBs
57	65	((reduc\$4 or low\$4) near3 speed) with (power near3 (sav\$4 or conserv\$5 or low or mode))) with network	US-PGPUB; USPAT
58	62	message with ((power) adj (mode or state)) with enter\$3	US-PGPUB; USPAT
59	3	((power\$3) with (physical adj layer)) same (low adj power)	EPO; JPO
60	6	((reduc\$4 or low\$4) near3 speed) with (power near3 (sav\$4 or conserv\$5 or low or mode))) with network	EPO; JPO
61	1	message with ((power) adj (mode or state)) with enter\$3	EPO; JPO